



# OWANDY-RX<sup>PRO</sup>

PRECISION AND SIMPLICITY

INTRAORAL RADIOLOGY SYSTEM

# Owandy-RX<sup>PRO</sup>

## LCD SCREEN

For a better reading of parameters from a distance

## MEMORY FUNCTION

Modify pre-programmed exposure times

## EXPOSURE PARAMETERS

Can be adjusted according to the type of tooth



## DISPLAY PARAMETERS

kV, mA, type of film

## DOSES

Adjust doses pressing "- +" buttons

## PATIENT MORPHOLOGY

adult, child

## EXAM TYPE

Occlusal or inter proximal





.....No vibration device



## Flexible & Design

Because design is increasingly important in the practice, the **Owandy-RX Pro** combines technological requirements and modern design.

The arm is easy to adjust, flexible and robust. Its 3 arm lengths (16"/31"/43") are designed to adapt to the layout of your surgery, tailoring




## Precision & Reliability

With a focal point of 0.4mm, the **Owandy-RX Pro** guarantees exceptional image quality, with well-defined contours, which will facilitate diagnostics.

The convenience of one handle helps to stabilize the **Owandy-RX Pro**.

The non-movement and as it does not vibrate, ensures perfect immobilization during exposure.



.....  
3 arm lengths  
16" / 31" / 43"



Flexible arm .....






## User-friendly

With its clear and large LCD screen, you can view the parameters even from a distance.




In addition, its "memory" functionality allows you to modify the pre-programmed exposure times according to the receiver (sensor or plates).



### Clinical cases with phosphor plate




### Clinical cases with digital sensor



## TECHNICAL FEATURES

Category	Class I, type B
Supply voltage	120-240 V
High voltage	60kV / 65kV / 70 kV
Anode current	4-7 mA
Focus	0,4 mm
Total filtration	>1.5 mm Al. @ 70 kV
Leakage radiation	< 0,25 mGy/h
Technology	High frequency DC
Timer	Microprocessor controlled
Total weight	51 lbs
Arm extensions	16" / 31" / 43"
Options	Mobile version
Accessories	Circular cone $\varnothing$ 60 mm (8" or 12") Rectangular cone (8" or 12")


## TECHNICAL DRAWINGS





# DIGITAL WORKFLOW OWANDY RADIOLOGY

## A COMPREHENSIVE RANGE TO MEET ALL YOUR REQUIREMENTS



2D/3D UNITS



CEPHALOMETRIC UNITS



HF INTRA-ORAL GENERATOR



FACE SCAN  
.PLY IMPORT



INTRAORAL  
PLATE SCANNER



DENTAL IMPRESSIONS  
.STL IMPORT



SURGICAL  
GUIDE



DIGITAL USB  
INTRAORAL CAMERA



EXPORT TO  
3D PRINTER



DIRECT USB  
SENSORS



BR\_OWANDY-RX PRO\_USA\_REV00

